THE GRECO-LATIN FOUNDATIONS OF THE MEDICAL METAPHOR: THE ROLE OF LINGUISTICS IN TERMINOLOGY

Doina BUTIURCĂ¹

Abstract

This study follows the evolution of two conceptual models - the habitat and the anthropocentric model - which founds the medical metaphor of Greco-Latin origin used in the English medical terminology and the Neo-Latin languages. It also follows the complex relationship between terminology, etymology, semantics and the natural languages - through a contrastive analysis of the usage and of the context - in the English, French and Romanian language. Out of the two models the habitat is the one which has generated the most conceptual parts in medicine, especially in Nomina Anatomica. There are specific divisions within both studied models with an impact upon the conceptual-semantic dynamics and upon the unity of holistic vision: "the interior" of the Greek and/or Roman house is the favourite metaphor for "the interior parts of the human body" Gr. θάλαμος,-ου; Lat. cellula, ae; Lat. trabecula, ae etc); the metaphorical model of "the linking elements between the components of the Greek and/or Roman home" has become the model of anatomical "relations" between parts of the human body (Lat. atrium, ii). Three are the conceptual subsystems of the "anthropocentric model" based on which the medical metaphor of Greco-Latin origin is developed: man and family; parts of the human body; sensations.

Keywords: Medical metaphor; Greco-Latin; Conceptual model; Descriptive-linguistic terminology; English; Neo-Latin languages

1. Conceptual models

1.1. The habitat

The conceptual models of the medical metaphor are based on fundamental human experience linked to the elements / characteristics of the concrete, material universe. We identify in the notional system of the domain series of conceptual models which we have organized in several canons:

The model of "the habitat" (Table 2) creates in the anatomical nomenclature, a conceptual tableau of the parts of the human body organized into two specific divisions: the interior of the house = the interior of the human body; the linking elements between the parts of the house = the anatomical components having the role to separate / connect interior parts of the human body etc. The metaphorical model of the "interior parts of the human body are the equivalents of the interior components of the house" is the most frequent one in the anatomical nomenclature.

In the (selective) interpretation of the model of the habitat / the anthropocentric model we consider the medical metaphors terms that meet two correlative and comprehensive conditions: domain transfer and semantic modifications. Methodologically we take into consideration the criterion of the conceptual relevance and the quantitative

_

¹ Assoc. Prof. PhD., Petru Maior University, Târgu-Mureș

criterion in the study of the dynamics of the terminological metaphors of Greco-Latin sources, discussed under 3.1. and 3.2., respectively.

- 1. Lat. cellula, ae, f.n. (diminutive of the noun cella, ae, small storeroom; the smallest room in a Roman household): the smallest compartment of the Roman house was the cellula, ae, the little room, where they stored the food; / the small chambers of the slaves; small room;/ the open part of the temple where the statue of the god was placed, sanctuary (DLR 2003: 191). In the medical terminology cell is one of the fundamental metaphors (Dorland's Illustrated Medical Dictionary 2003; Walter W. Skeat 2007; DM 2007). All types of living organisms are organized around this archaic preconceptual scheme. The preconceptual model is extremely productive in the cognition of the living world. In the medical language there are approx. 110 poly-lexical metaphors, formed with the model cellula, ae.
- 2. Lat. septum,i (n.n.): In the everyday Latin language the word had multiple meanings: 'enclosed space, corral, detour'; 'detour station (on the forum or in the Field of Mars, where the citizens were lead to vote)'. The separating wall of the rooms of a Roman house were called septum. It was used in phrases such as "saepta domorul" (Lucretius) where it had the meaning of "the walls of houses". The Greek equivalent of the Lat. septum, i was diaphragma (dia- 'through', phragma, -atos 'enclosure'), a word through which the Greeks designated "the wall that separated the rooms of the house." In Anatomy, the term diaphragm is used with the general sense of "musculotendinous separating wall [...] which separates the chest cavity from the abdominal cavity" (DM 2007: 404). Based on these two preconceptual schemes the medical language develops conceptual subtypes through the mono-lexical and/or poly-lexical metaphors: diaphragmatic; septum, pl. septa (NA); interverticular saeptum of heart, etc.
- 3. Lat. *vestibulum*, *i* (n.n.): Designates the "vestibule", the enclosed space between the street and the door of the house (Gh. Guţu 2003: 1415); (generic meaning) the entrance into the Roman house. Through the metaphor of the "vestibule" (NA: *vestibulum*) the concept of space at the entrance of a cavity or canal was introduced (DM 2007: 1153); "buccal vestibule" / "vestibule of mouth" / vestibule of ear etc. The model is not especially productive if we study it based on the "quantitative" criteria of the fixed collocations it develops but it is significant under the report of cognitive coherence in the cognition of the human body. It "opens" the series of anatomical metaphors, interconnected in a holistic system, which functions as an independent entity, based on the model of the habitat: buccal vestibule, vestibule of mouth (NA); vestibulum auris, vestibul of ear; vestibulitis.
- 4. Lat. *trabecula*, *ae* (f.n.): Trabecula (small beam) served based on the identity of the characteristic (strip or beam shaped) as a model to anatomical structures (formed from trabecula). The medical metaphors borrow the stable image in the conceptual subsystems they generate:
 - anatomical structure: trabecula;
 - characteristic: trabecular,

- surgical intervention: *trabeculectomy*; *trabeculotomy*.
- 5. Lat. *trabs, bis* (f.n.): The word was used in everyday Latin with several meanings: 'beam'; (fig.) 'tree trunk'; 'light ship', 'roof', 'club, mace'; 'huge spear', 'torch'. The roof beams were called *trabes* (high beam) in the Roman Empire.
- 6. Lat. *fornix*, *icis* (m.n.): The word was used in the Latin language with the meanings of 'vault, arch', 'arcade' of the Roman house; 'brothel'. It is used as a preconceptual model of the anatomical metaphor *fornix* (NA).
- 7. Gr. θάλαμος,-ου (m.n.): In ancient Greece the noun θάλαμος,-ου was also used with the meaning of 'bedroom, nuptial bed'. Galenus uses the term *talamus* based on the equivalence of the double in order to designate the structure of the brain, an anatomical formation which consists of 'voluminous nuclei, PAIR of the diencephalon': thalamus (NA).
- 8. Lat. *atrium*, *ii* (n.n.): The word usually designated the antechamber of the Roman house which connected the other rooms; it had 'smoked' walls (Lat. *ater* black) due to the fire that was burning in the middle of the room. Other meanings: 'house, palace', 'hall, porch, hall'. The 'antechamber' is the preconceptual model of the *atrium* (NA) metaphor through which the notion of cavity is updated 'which provides a means of communication with another structure' (DM 2007: 231).
- 9. Lat. doma -atis, n.n. (cf. Gr. δόμος,-ου m.n.) 'roof of a house', 'terrace of a house'.
- 10. Lat. faux, cis, f.n. (usual pl. fauces, ium: It was used with a variation of meanings: 'throat, mouth'; 'gorge, abyss, cave'. Tight crossings, corridors, entrances were named fauces. If the first series of metaphors that make up the model of the "habitat" makes the intuition of the internal elements of the anatomical system possible, the second series that of the exterior of the Roman and Greek house permits the intuition of the relations between parts, opposition:
- 11. Lat. area, ae (f.n.): In the Latin language it was a poly-semantic word used both in the register of everyday language (meaning 'empty space, broad place', 'halo of the Sun'), in the quasi-specialized language (having the meaning of 'surface' in geometry / 'stadium, arena, sports field' in civil society) and/or in the figurative language (with connotative values such as 'baldness, scope, stage of life'). In anatomy, area, pl. arae (Fr. aire, f.n.; Ro. arie) designates 'a morphologically or functionally delimited surface', a model which later on developed subsets of orientation metaphors, based on the insideoutside, centre-periphery, up-down oppositions (cardiac area, auditory area, etc.).
- 12. Lat. areola, ae (f.n.): In the Latin language areola, ae (f.n.) means a small yard. In the Anatomical Nomenclature the metaphor of areola delimits two morphologically different anatomical locations: erythrematous areola 'area which surrounds an inflamed spot' (DM 2007: 214).

Table 2
The cognitive model of the "habitat": The Roman/Greek house

Stable preconceptual scheme	Terminological metaphor	Linguistic realization
Gr. θάλαμος (-ου), 'nuptial	thalamus 'anatomical formation	En. thalamus;
bed, bedroom'	made up of paired nuclei'	Fr. thalamus;
		Ro. talamus.
Lat. area (ae) 'area, yard'	area 'morphologically or	En. area;
	functionally delimited surface'	Fr. aire (f.n.);
	,	Ro. arie (f.n.);
Lat. areola, ae 'small yard'	areola 'an area that surrounds	En. areola;
j	one point'	Fr. aréole (f.n.);
	1	Ro. areolă (f.n.).
Lat. atrium (ii)	atrium "cavity which ensures	En. thalamus;
'antechamber;'	communication with another	Fr. oreillette (f.n.);
,	structure"	Ro. atriu (n.n.).
Lat. cellula, (ae) n.n. 'the	cell 'basic unit of living	En. cell;
smallest room in a Roman	organisms'	Fr. cellule (f.n.);
household'		Ro. celulă (s.f.).
	basket cell 'cell of the cerebellar	En. basket cell;
	cortex'	Fr.cellule à corbeilles;
		Ro.celulă în coșuleț.
Lat. doma (atis) 'roof of a	dôme (pleural) 'area of the pleura	3 3
house'	which covers the top of the	Ro. dom pleural;
	lung'	En. pleura cervicalis.
	0	
Lat. fornix (icis) 'arcade,		En. fornix;
arch'	fornix, in anatomy, 'body with	Fr. fornix (m.n.);
	an arched surface'	Ro. fornix.
lat. saeptum (i) 'separating	septum 'anatomical formation	En. septum;
wall'	which separates two regions'	Fr. septum(m.n.);
		Ro. sept (n.n.).
Lat. <i>trabecula</i> (ae) 'small	trabecula 'band shaped	En. trabecula;
beam'	anatomical structure'	Fr. trabecule (f.n.);
Lat. trabs (bis) 'beam, girder'		Ro. trabecul (n.n.).
Lat. vestibulum (i) 'entrance	vestibule (NA: vestibulum, pl.	En. vestibule;
of a house'	vestibula) 'space'	Fr. vestibule (m.n.);
		Ro. vestibul (n.n.).
	Vestibule of ear (NA: vestibulum	En. vestibule of ear;
	auris) 'middle cavity of the	Fr. vestibule de l oreille;
	inner ear labyrinth'	Ro. vestibulul urechii.
	Vestibule of mouth (NA:	En. vestibule of mouth;
	vestibuluim oris) 'peripherical	Fr. vesttibule buccal;
	portion of the oral cavity'	Ro. vestibul bucal.
	NA: Vestibulum osseus	Fr. vestibule osseux /
		bony labyrinth;
		Ro. vestibul osos.

2.1. The anthropocentric model

The anthropocentric perspective (Table 3; Table 4; Table 5) in the medical terminology implies under the notional, cognitive aspect and under that of the philosophy of the language, the human being with everything that is specific to it (kinship, parts of the body, feelings, perception, etc.) as a model of making the abstract accessible. Three are the conceptual subsystems which are developed by the anthropocentric model: a. man and its family; b. parts of the human body; c. sensations.

2.2.1. Man and its famil

- 13. Lat. pater, tris (m.n.); Lat. mater, tris (f.n.): The father, the mother, the son, the daughter, etc. form conceptual symmetric pairs within the medical domain, unlike the lexicon of the Indo-European languages (Emile Benveniste, 1999), where the archaic and religious senses of representing the world were used as a priority. See for comparison the religious concept of "the Father" in the religions / myths about the origins (the Father is an image of transcendence, in the majority of the world religions; in the Celtic tradition we meet the notion of "the father of the seed... almighty" according to Jean Chevalier, Alain Gheerbrant 3, 1995, p. 336, etc.) with the biological concept of "the father": paternity, etc. It should be compared with the spiritual concept of "the Mother" in the archaic belief systems and in the world religions (in the Hindu theology the "divine Mother... the spiritual reality of the Female principle" Jean Chevalier, Alain Gheerbrant 2, 1995, p. 262) is presented, in the Catholic dogma the divine Mother "expresses a historical reality", in Christianity "the mother" can be "the Church/the Holy Virgin"; in the Celtic religions the woman has an important role through her messenger role of the Other world, etc.) with the biological concept, strictly determined, by the "mother" who generated the subsets of specialized concepts such as: motherhood, maternity, etc.
- 14. Gr. $\nu\theta\varrho\omega\circ\varsigma$, $-\upsilon\nu$ (m.n.): It was a generic noun in the Greek language, with the meanings of 'man, human being, humanity'. The metaphorical transfer maintains the conceptual medium of "the human being"; it produces fundamental differences in the conceptual subsystems of science, through the linguistic structures and through
- 15. Gr. παϊς, παιδός (tema παιδ-) n.n. / παιδίον, -ου n.n.: The word in the Greek language had the meaning of 'son, child'. The preconceptual scheme of παϊς, παιδός a has generated in the medical language few cognitive subsystems, such as:
 - the medical branch: pediatrics, pedodontics;
 - measuring unit: pediometer;
 - characteristic: pedal;
- 16. lat. *filius,ii* (m.n.): It had the meaning of 'son subject to paternal authority' in the Latin language. In epidemiology, the Neo-Latin languages conceptualize the notion of 'succession of the appearance of diseases' through Fr. *filliation* (f.n.), Ro. *filiație* (f.n.), the preconceptual scheme of which can be found in *filius*. The English language uses the metaphorical syntagm of *consanguinity in direct line*. In serology, the metaphor

conceptualizes the notion of "examining diverse groups and blood types in children and the supposed parents".

17. Lat. femella, ae (n.n.): It is a diminutive of femina, ae. It designated in everyday Latin "a young woman", "a girl". It has become one of the interdisciplinary metaphors used in medicine, zoology. The Greek equivalent of the notion of "the woman" (see Gr. dia - through; gyne, gynaikos "woman, wife, lady; widow; child") is used in the medical language where the metaphor "diagynic", Fr. diagynique has the meaning of "hereditary transmission of a state or that of a disease which can be produced only by through the mother".

18. Lat. vir, i (m.n.): It designated in everyday Latin the notion of "man, husband"; "man in the true sense of the word"; "fighter"; "man" (generic term) etc. The medical metaphors formed based on this conceptual pattern eliminate the subjective characteristics such as 'man in the true sense of the word' / 'fighter', etc. maintaining only the basic meaning in the conceptual subsystems which they create: virillization, virillizing, virillismus, virile etc.

19. Lat. *pupilla*, *ae* (f.n.): The word was used in everyday latin with the meaning 'girl without parents, orphan.' The metaphor "pupil" (cf. Fr. *pupille* f.n.; En. *pupil* NA) designates in ophthalmology the univocal concept of the 'pupil of the eye.'

Table 3
The anthropocentric model Subsystem: Man and its family, lineage

The anthropocentric model Subsystem: Man and its family, lineage				
Stable preconceptual	Terminological metaphor	Linguistic realization		
scheme				
Gr. ἄνθρωος (-ου) 'human	fr. anthropogammamétrie	En. whole body		
being'	'measuring the contents of the	counting;		
	human body with gamma	Fr.		
	radiation emitting radioisotopes'	anthropogammamétrie		
		(f.n.);		
		Ro. antropogamametrie		
		(f.n.)		
Gr. παϊς, παιδός	"Pedology" / paidology: 'branch	En.		
	of biology which deals with the	Pedology/paidology;		
	study of the child'; 'the study of	Fr. pédologie (f.n.);		
	soils'	Ro. pedologie (f.n.)		
Gr. γενεά, -äς (f.n.) 'kin,	gene 'the basic unit of heredity'	En. gene;		
descent;'		Fr. gène (m.n.);		
		Ro. genă (f.n.)		
	housekeeping geneas	en. housekeeping geneas;		
		Fr. gènes de ménage;		
		Ro. gene menajere.		
Gr. gyne (cf. γυνή, γυναικός	diagynic "on the hereditary	En. diagynic;		
f.n.) 'woman'	transmission of a disease, which	Fr. diagynique (adj.);		
	is produced only through the	Ro. diaginic (adj.)		
	mother"			

Lat. femella (ae) "femeie"	female "organism which produces	En. female;
	female gametes"	Fr. femelle (f.n.);
		Ro.femelă (f.n.).
Lat. filius (ii) 'son'	filiation "bond of consanguinity	Fr. filiation (f.n.);
	of children with parents"	Ro. filiație (f.n.);
	_	En. consanguinity in direct
		line.
Lat. mater, tris "mother"	motherhood 'the quality of being a	En. motherhood;
	mother', 'a hospital where	Fr. maternité (f.n.) ;
	women give birth'	Ro. maternitate (f.n.);
Lat. pater, tris 'father,	paternity 'the status, quality of	En. paternity;
parent'	father'	Fr. patérnité (f.n.);
		Ro. paternitate (f.n.).
Lat. pupilla, ae 'girl without	pupil 'central orifice of the iris'	En. <i>pupil</i> ;
parents'		Fr. pupulle (f.n.);
		Ro. pupilă (f.n.)
Lat. vir, i 'man'	virile, 'which is characteristic to	En. virile;
	the man'	Fr. viril,e (adj.);
		Ro. viril (adj.).

2.2.2. The parts of the human body and the sensations

The parts of the human body (Table 4) is another conceptual subsystem developed by the anthropocentric model. One observation is necessary in this context: the parts of the human body represent the source of several terminological metaphors in most special languages, except that of medical terminology where the process has limitations, different degrees of metaphorisation and/or, in some cases, it does not qualify to be a terminological metaphor. Compare *arm*, *head*, unique variants existing in NA (with a minimal degree of metaphorisation) - where the domain transfer is based on a concrete analogy, with the metaphors of *arm*, *head*, etc. especially productive in mechanics, in technical language, in constructions etc. - where it suffers fundamental changes in the semantic behaviour, either on the level of lexical terminology, either on the level of context. See the poly-lexical metaphors, such as: *cap tractor*, *braţ port filieră*, *braţ port tarod* etc.

20. Gr. πνεΰμα, -ατος (n.n.): In the Greek language it had the meanings of 'wind, breath, smell, life, soul, lung.' The medical metaphors had intense periods of expansion both on the level of the domain and on the level of the branch through the approx. 60 terms / compound structures / terminological collocations the DM (2007) includes. We do not discuss the interdisciplinary character of the metaphor nor the quasi-conceptual model of the term, but the character of the extremely productive "living metaphor" of *pneuma*-, its capacity to create several conceptual subsystems:

- "recipient", localization of air: pneumatic;
- disease: pneumatocele; pneumocystosis; pneumonia;
- biological structure: pneumocyte;
- -instrument: pneumograph; pneumometer;

- the name of the domain: pneumology.
- 21. Gr. $\varkappa a\varrho \delta ia$, $-a\varsigma/\varkappa a\varrho \delta i\eta$, $-\eta \varsigma$ (f.n.)): The word was used in the Greek language with the meanings of 'heart', 'soul', 'spirit', 'thinking', 'intelligence', 'stomach'. The medical metaphors the primary and/or poly-lexical ones formed based on the "scheme image" $\varkappa \alpha \varrho \delta i\alpha$, $-\alpha \varsigma$ are explained through hypotheses of experts and create conceptual subsystems referring to:
 - referent / characteristic: cardiac/cardial;
- disease: cardiomyopathy; congestive cardiomyopathy; postpartum cardiomyopathy; carditis;
 - anatomical structure: cardiocyte;
 - biological process: cardiogenic;
 - medical domain: cardiology, etc.
 - relation with external agents: cardiotonics; cardiotoxic etc.
- 22. Lat. *capillus*, *i* (m.n.): It was used in the Latin language with the meaning of 'hair', 'filament (in plants)' In the medical terminology the terminological metaphors formed based on the scheme image of *capillus* conceptualize:
 - referent / characteristic: capillary;
 - biological process: capillarity, capillary attraction etc.
- a generic name of the disease: capillaropathy etc. in the case of the primary metaphor.

Terminal branches of blood vessels are conceptualized through bi-lexical metaphors: continuous capillary; fenestrated capillary; sinusoidal capillary etc. the semantic behaviour of which is defined on the syntagmatic level.

- 23. Gr. $\pi o b \zeta$, $\pi o \delta o \zeta$ (m.n.): It was used in everyday Latin with multiple meanings: 'leg, claw; step, walk; leg stich'. The medical metaphors which generate these respect the two correlative conditions the domain transfer and the semantic modifications in the context:
 - anatomical structure: podocyte;
 - specialization: podologist; podoorthotist;
 - medical domain: podiatry/ podology;
 - instrument: podometer.
- 24. Lat. manus, us (f.n.): In the Latin language the word had multiple meanings: hand; power, authority (in the juridical language); master hand; traits of writing; handful of people, crew; game of dice, etc. Manus, us is the source of some terminological metaphors in almost every domain. It had periods of expansion in which several metaphors were born, starting with the terminology of Roman law (Manu militari) and continuing with the management of contemporary marketing (manufactory, manuscript) etc. Management (cf. Eng. management; Fr. management; Sp. management) is a terminological metaphor an adequate equivalent is hard to be found to in the Neo-Latin languages. The medical language is an exception where the terminological productivity of the preconceptual scheme of manus is manifested only in the direction of "the action":

manoeuvre = 'method or stage the completion of which requires a certain degree of skill, in some surgical or obstetrical interventions' (DM, p.660).

Table 4The anthropocentric model Subsystem: The parts of the human body (selection)

Stable preconceptual	Terminological metaphor	Linguistic realization
scheme		
Gr. καρδία(-ας) / καρδίη (-	"cardiac": 'which refers to	En. cardiac/ cardial;
$\eta \varsigma$) 'heart'; 'stomach'	heart or belongs to heart'	Fr. cardiaque (m.n.);
		Ro. cardiac (adj.).
Gr. πούς (ποδός) 'leg'	"podocyte": 'a cell which	En. podocyte;
	presents a number of	Fr. podocyte (m.n.);
	primary or secondary	Ro. podocit (n.n.).
	extensions called pedicles'	
Gr.πνεΰμα (-ατος)	"pneumonia":	En. pneumonia;
'breath, respiratory	'inflammation of the	Fr. pneumonie (f.n.);
machine'	alveolar on the level of the	Ro. pneumonie (f.n.)
	lungs'	
Lat. capillus (i), 'hair';	"capillary vessel": 'generic	± *
'filament'	name for every of the finest	Fr. capillaire sanguin;
	vessels'	Ro. capilar sanguin.
Lat. manus (us) 'hand'	"manoeuvre": "method or	En. maneuver;
	stage the performance of	Fr. manouevre (f.n.);
	which requires a degree of	Ro. manevră(f.n.)
	skill'	
Lat. oculus, i (m.n.) 'eye'	"ocular": 'part of the optical	En. ocular/eyepiece;
	system of a microscope'	Fr.oculaire (adj./ m.n.);
		Ro.ocular (adj./ m.n.);
Lat. pes, dis (m.n.) 'man's	"pedal spasm": contraction	En. pedal spasm;
foot'	of the extended leg and in	Fr. pedospasme (m.n.);
	"varus"	Ro. pedospasm (n.n.)

We can notice from the examples above that the conceptual subsystems generated by the subsystem of "parts of the human body" are relatively redundant, and correspond to the scientific imperatives of organization of the domain / branch, of the need of classification of concepts, of taxonomies (especially in the case of diseases) etc. A last conceptual subsystem developed on the anthropocentric model our study only anticipates is the subsystem of *Sensations* (Table 5).

25. Gr. $ai\sigma\theta\eta\sigma\iota\varsigma$, $-\varepsilon\omega\varsigma$: in the Greek language $ai\sigma\theta\eta\sigma\iota\varsigma$, $-\varepsilon\omega\varsigma$ (f.n.) was used with the meaning of 'sensation, perception, cognition, sense, intelligence' (Gioroceanu 2008: 94). An(a)esthesia designates a medical concept regarding 'the spontaneous or voluntary absence or disappearance of one or more types of sensitivity (pain, thermic, tactile)' (DM 2007: 191). The formations created with an- pivative are especially productive. From the examples taken into consideration (Table 5) we can notice that according to the target-

domain or of certain conceptual contexts, elements of the sensitive, of the volitional become medical procedures, name diseases, symptoms, etc.

Table 5
The anthropocentric model Subsystem: "sensations"

	dbsystem: sensations	
Stable preconceptual	_	Linguistic realization
scheme	metaphor	
Gr. $ai\sigma\theta\eta\sigma\iota\varsigma$ (- $\varepsilon\omega\varsigma$)	<i>An(a)esthesia</i> "absence	En. an(a)esthesia;
'insensitivity';	or disappearance of	Fr. anesthésie (f.n.);
	certain types of	Ro. anestezie (f.n.).
	sensitivity";	
Gr. βραδύς (-εϊα,-ύ) 'slow,	Bradyphrenia 'marked	En. Bradyphrenia ;
lazy';	slow movement of the	Fr. bradypsychie (f.n.);
	ideation processes';	Ro.bradipsihie (f.n.).
Lat. angor (oris) 'choking';	Angor pectoris 'angina	angor pectoris;
	pectoris';	
Lat. dolor (oris) 'pain'	Dolor 'one of the	
	cardinal signs of	
	inflammation'; dolor;	
Lat. malum (i) 'bad,	Malignancy 'an	En. malignancy;
disease';	extremely negative	Fr. malignité (f.n.);
	evolution of a disease';	Ro. malignitate (f.n.).
Lat. vertigo (inis) 'spinning,	Vertigo 'subjective	En. vertigo/dizziness/gidiness;
vertigo'.	impression of	Fr. vertige (m.n.);
	movement, of rotation	Ro. vertij (n.n.).
	of the body'.	
Lat. dolor (oris) 'pain' Lat. malum (i) 'bad, disease'; Lat. vertigo (inis) 'spinning,	pectoris'; Dolor 'one of the cardinal signs of inflammation'; dolor; Malignancy 'an extremely negative evolution of a disease'; Vertigo 'subjective impression of movement, of rotation	En. malignancy; Fr. malignité (f.n.); Ro. malignitate (f.n.). En. vertigo/dizziness/gidiness; Fr. vertige (m.n.);

The anthropocentric perspective in the representation of the conceptual characteristics does not exceed the unambiguously anatomical references. This, unlike the figurative language which will exceed in all situations the notional barriers and implicitly the requirement of unambiguousness - through the process of anthropomorphisation. Anthropomorphisation/personification is an aesthetic process, anthropocentrism is a conceptual, methodological perspective, that of the philosophy of language, foreign to rhetoric. Implicit anthropomorphisation implies in our approach all the dimensions of the "human", from the biological to the psychological and spiritual one. The anthropocentric perspective in terminology is an epistemological method, it implies the human being as a model of accessing the abstract.

Sources

Chevalier, Jean; Gheerbrant Alain I-III,1995. Dicționar de simboluri. Editura Artemis, Bucharest.

DLR= Dictionar latin-român. Guţu, Gheorghe. 2003. Humanitas, Bucharest.

DM=Dicționar medical. Rusu, Vasile. 2007. Editura Medicală, Bucharest.

Dorland, 2003. *Dorland's Illustrated Medical Dictionary*.30th edition, Douglas Anderson (editor). Saunders. An imprint of Elsevier 2003.

- Gioroceanu, Alina, 2008. Terminologia greco-latină în româna actuală. Editura Aius Print, Craiova.
- Lucrețius, Titus, Carus, 1981. Poemul naturii. Editura Minerva, Bucharest.
- Vico, G., 1980. *Ştiinţa nouă* [New science]. Introductive study, translation and indexes by Façon, Nina, notes by Nicolini, Fausto Façon, Nina. Editura Ştiinţifică, Bucharest.
- Walter W.Skeat, 2007. The Concise Dictionary of English Etymology. Wordsworth Editions Limited.

References:

- Balliu, Christian, 2006. Le langage de la médicine: les mots pour le dire. In: Mots, termes, contextes sous la direction de D. Blampain, Ph.Thiron, Marc Van Campenhoudt, Editions des Archives contemporaines et Agence Universitaire de la Francophonie, Paris.
- Béjoint, Henri şi Philippe, Thoiron, 2000. Le sens en terminologie. Presses Universitaires de Lyon, Lyon.
- Benveniste, Emile, 1999. Vocabularul instituțiilor indo-europene. Paideia, București.
- Bidu- Vrănceanu, Angela, 2007. Lexicul specializat în mișcare. De la dicționar la texte, Editura Universității din București, București.
- Bidu-Vrănceanu, A., 2012. In: *Terminologie și Terminologii*. Editura Universității din București, București, 11-71.
- Cabré, M.T., 1998. La terminologie. Théorie, méthode et applications. Presses de l' Université d' Otawa et Armand Colin.
- Depecker, L., 2002. Entre signe et concept. Eléments de terminologie générale. Presses Sorbone, Paris.
- Depecker, L. 2011. Comment aborder le concept d un point de vue linguistique. In: J.J.Briu (ed.).2011.Terminologie I: analyzer des termes et des concepts, Peter Lang, Berna, Berlin, Frankfurt, New York, Wien.
- Desmet, Isabel, 2006. Variabilité et variation en terminologie et langues spécialisées: discours, textes et contextes. In: Mots, termes, contextes sous la direction de D. Blampain, Ph. Thiron, Marc Van Campenhoudt,, Editions des Archives contemporaines et Agence Universitaire de la Francophonie, Paris.
- Eco, Umberto, 2009. De la arbore spre labirint. Translation by Ștefania Mincu. Editura Polirom, Iași.
- Gaudin, F., 2003. Socioterminologie. Une approche sociolinguistique de la terminologie. De Boeck et Larcier, Editions Duculot, Bruxelles.
- Gentner, Dedre, 1980. The structure of analogical models in science. In: Technical Report No. 4451, Cambridge.
- Lakoff G. & Johnson, M.,1980. *Metaphors We Live*. University of Chicago Press, Chicago. Rastier, F., 1994. *Sémantique pour l'analyse*, Ed. Masson, Paris.
- Steen, G., 1999. From linguistic to conceptual metaphor in five steps. In: Metaphor in cognitive linguistics, edited by G. Steen & R. Gibbs. John Benjamins, Philadelphia.
- Turner, M., 1987. Death is the Mother of Beauty: Mind, Metaphor, Criticism. University of Chicago Press, Chicago.